

LOW VOLTAGE

BATTERY CHARGERS

LV56-677 20 AMP DC-DC Charger

20 Amp DC-DC Battery Charger
Input Voltage: 12.9 – 22.0 Volt DC
Charging Voltage: 14.4 Volt
5 Step Fully Automatic Charging Cycle
Automatic Starter/Auxiliary Battery Separation
Direct Solar Panel Input
Charges Batteries from 40 to 300Ah
Splash Resistant & Dust Proof to IP65



LV56-772

6 Volt Battery Charger

0.8 Amp 6 Volt DC Battery Charger
Fully Automatic 4 Step Charging Process
Charges Batteries from 1.2 up to 100Ah
Compact tough design
Splash Resistant & Dust Proof to IP65

6V



LV56-825

12 Volt Battery Charger

0.8 Amp 12 Volt DC Battery Charger
Fully Automatic 6 Step Charging Process
Charges Batteries up to 32Ah
Maintains Batteries up to 100Ah
Compact tough design
Splash Resistant & Dust Proof to IP65

12V



LV56-751

12 Volt Battery Charger

3.6 Amp 12 Volt DC Battery Charger
Fully Automatic 4 Step Charging Process
Charges Batteries from 7 up to 75Ah
Maintains Batteries up to 120Ah
Compact tough design
Splash resistant & Dust proof to IP65

12V



LV56-837

12 Volt Battery Charger

5.0 Amp 12 Volt DC Battery Charger
Fully Automatic 8 Step Charging Process
Charges Batteries from 1.2 up to 110Ah
Maintains Batteries up to 160Ah
Compact tough design
Splash Resistant & Dust Proof to IP65

12V



*** Free Bumper**

*** Free Bumper**

**BUY ANY OF THESE
CTEK CHARGERS
& RECEIVE
A FREE
"RUBBER BUMPER"**

*** while stocks last**



LV56-757

12 Volt Battery Charger

7.0 Amp 12 Volt DC Battery Charger
Fully Automatic 8 Step Charging Process
Charges Batteries from 14 up to 150Ah
Maintains Batteries up to 225Ah
Compact tough design
Splash Resistant & Dust Proof to IP65

12V



LV56-823
12 Volt Battery Charger

10.0 Amp 12 Volt DC Battery Charger
 Fully Automatic 8 Step Charging Process
 Charges Batteries from 20 up to 200Ah
 Maintains Batteries up to 300Ah
 Compact tough design
 Splash resistant & Dust proof to IP65


LV56-815
12 Volt Battery Charger


15.0 Amp 12 Volt DC Battery Charger
 Fully Automatic 8 Step Charging Process
 Supply Mode – Can be used as a power supply
 Charges Batteries from 30 up to 300Ah
 Maintains Batteries up to 500Ah
 Compact tough design
 IP44 rated suitable for outdoor use


LV56-762
12 Volt Battery Charger

25.0 Amp 12 Volt DC Battery Charger
 Fully Automatic 8 Step Charging Process
 Supply Mode – Can be used as a power supply
 Charges Batteries from 40 up to 500Ah
 Maintains Batteries up to 500Ah
 Compact tough design
 IP44 rated suitable for outdoor use


LV56-777
24 Volt Battery Charger

4.0 Amp 24 Volt DC Battery Charger
 Fully Automatic 8 Step Charging Process
 Charges Batteries from 8 up to 100Ah
 Maintains Batteries up to 250Ah
 Compact tough design
 Splash Resistant & Dust Proof to IP65


LV56-767
24 Volt Battery Charger

14.0 Amp 24 Volt DC Battery Charger
 Fully Automatic 8 Step Charging Process
 Supply Mode – Can be used as a 12V power supply
 Charges Batteries from 8 up to 100Ah
 Maintains Batteries up to 250Ah
 Compact tough design
 IP44 rated suitable for outdoor use


LV56-925
Battery Analyser

Easy to use Battery Tester
 Fast & Accurate Results
 Operating Voltage 8-15V DC
 Test Range: 200-1200CCA
 Suitable for all 12V Lead Acid Batteries



LOW VOLTAGE

www.lowvoltage.net.au

MELBOURNE

72 BUTLER WAY

TULLAMARINE 3043

☎ 03 9335 7100 📠 03 9335 7199

e-mail: sales@lowvoltage.net.au

