

**LOW  
VOLTAGE**

INTRODUCES

**LIGHT<sup>2</sup>™  
LED TORCH**



[WWW.LOWVOLTAGE.NET.AU](http://WWW.LOWVOLTAGE.NET.AU)

## LVS4

## Light 2 Smart Series

- Aluminium LED Flash Light
- 1 x 1 Watt Q4 Cree LED
- 100 Lumen Output, 100M Beam
- Spot to Flood Sliding Focus
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- High 100% / Low 10% / Strobe 12Hz / SOS Signal
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 26 x 123mm
- Weight Excluding Batteries: 54g
- Requires 1 x AA Battery



**100  
LUMENS**

## LVS7

## Light 2 Smart Series

- Aluminium LED Flash Light
- 1 x 3 Watt Q4 Cree LED
- 230 Lumen Output, 280M Beam
- Spot to Flood Sliding Focus
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- High 100% / Low 10% / Strobe 12Hz / SOS Signal
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 37 x 145mm
- Weight Excluding Batteries: 140g
- Requires 4 x AA Batteries



**230  
LUMENS**

## LVS9

## Light 2 Smart Series

- Aluminium LED Flash Light
- 1 x 3 Watt Q4 Cree LED
- 230 Lumen Output, 280M Beam
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- 4 Switches
- Master for High 100%, Green High 100% & Low 10%, Red Strobe 12Hz & 22Hz & Blue SOS Signal
- Waterproof & Shockproof Housing
- IP Rating: 67
- Measurements: 29.5 x 131.5mm
- Weight Excluding Batteries: 102g
- Requires 4 x AAA Batteries



**230  
LUMENS**

### LVS10

#### Light 2 Smart Series

- Aluminium LED Flash Light
- 1 x 3 Watt Q4 Cree LED
- 230 Lumen Output, 280M Beam
- Spot to Flood Sliding Focus
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- 4 Switches
- Master for High 100%, Green High 100% & Low 10%, Red Strobe 12Hz & 22Hz & Blue SOS Signal
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 37 x 145mm
- Weight Excluding Batteries: 140g
- Requires 4 x AAA Batteries



**230  
LUMENS**

### LVE1

#### Light Expert Series

- Aluminium LED Flash Light
- 1 x Cree LED
- 200 Lumen Output, 250M Beam
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- Stepless Dimming 1-100% / Low Beam / High Beam
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 26 x 115mm
- Weight Excluding Batteries: 69g
- Requires 3 x AAA Batteries



**200  
LUMENS**

### LVE2

#### Light Expert Series

- Aluminium LED UV Flash Light
- 1 x Edixeon UV LED
- 395-410 Nanometer Output, 50M Beam
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Rear On/Off Switch
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 32 x 126mm
- Weight Excluding Batteries: 76g
- Requires 3 x AAA Batteries



**UV  
LIGHT**



## LVE3

### Light Expert Series

- Aluminium LED Flash Light
- 7 x 3 Watt Q4 Cree LED's
- 1300 Lumen Output, 550M Beam
- Spot to Flood Sliding Focus
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- High 100% / Stepless Dimming 1-100% / Low Beam / Strobe
- 12Hz / Thunderbolt/ SOS
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 77 x 393mm
- Weight Excluding Batteries: 640g
- Requires 4 x D Batteries



**1300  
LUMENS**

## LVR1

### Light2 Rechargeable Series

- Small Car LED Flash Light
- 1 x Hi-Powered LED
- 15 Lumen Output, 20M Beam
- Stainless Steel & Aluminium Casing
- Twist On/Off Switch
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 20.5 x 52mm
- Weight Excluding Batteries: 34g
- Includes: Rechargeable Batteries
- Plugs into a standard cigarette lighter socket



**15  
LUMENS**

## LVR8

### Light2 Rechargeable Series

- Aluminium LED Flash Light
- 1 x 3 Watt Q4 Cree LED
- 200 Lumen Output, 250M Beam
- Spot to Flood Sliding Focus
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- High 100% / Low 10% / Strobe 12Hz / SOS Signal
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 32 x 130mm
- Weight Excluding Batteries: 100g
- Includes: Rechargeable Batteries, Magnetic USB Charger & 240V adaptor
- Charge Time: 4-8 hours



**200  
LUMENS**

## LVRA1 Light2 Rechargeable Series

- Aluminium Lithium Powered LED Flash Light
- 1 x 3 Watt Q4 Cree LED
- 200 Lumen Output, 250M Beam
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- High 100% / Low 10% / Strobe 12Hz / SOS Signal
- Waterproof & Shockproof Housing
- IP Rating: 67
- Measurements: 33 x 147mm
- Weight Excluding Batteries: 111g
- Includes: Rechargeable Batteries & Charger



**200  
LUMENS**

## LVRE3 Light2 Rechargeable Series

- Aluminium LED Flash Light
- 7 x 3 Watt Q4 Cree LED's
- 1600 Lumen Output, 550M Beam
- Spot to Flood Sliding Focus
- Tactical Crenulated Bezel
- 6061-T6 Aluminium Casing
- Multi-Mode Dynamic Switch
- High 100% / Stepless Dimming 1-100% / Low Beam / Strobe 12Hz / Thunderbolt / SOS
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 77 x 393mm
- Weight Excluding Batteries: 640g
- Includes: Rechargeable Batteries & Charger



**1600  
LUMENS**

## LVK3 Light2 Keyring Series

- Small Aluminium LED Flash Light
- 1 x 5mm LED Chip
- 16 Lumen Output, 25M Beam
- Tactical Crenulated Bezel
- Aluminium Casing
- Push Button On/Off Switch
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 15 x 92mm
- Weight Excluding Batteries: 30g
- Requires 1 x AAA Battery



**16  
LUMENS**

**LVK4**

**Light2 Keyring Series**

- Small Aluminium LED Flash Light
- 1 x NICHIA LED Chip
- 16 Lumen Output, 50M Beam
- Spot to Flood Sliding Focus
- Aluminium Casing
- Push Button On/Off Switch
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 20 x 101mm
- Weight Excluding Batteries: 35g
- Requires 1 x AAA Battery



**16  
LUMENS**

**LVK5**

**Light2 Keyring Series**

- Small Aluminium LED Flash Light
- 1 x 5mm NICHIA LED Chip
- 23 Lumen Output, 50M Beam
- Spot to Flood Sliding Focus
- Aluminium Casing
- Push Button On/Off Switch
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 21 x 77mm
- Weight Excluding Batteries: 27g
- Requires 1 x AAA Battery



**23  
LUMENS**

**LVH1**

**Light2 Headlamp Series**

- LED Headlamp
- 6 x 5mm LED's
- 60 Lumen Output, 60M Beam
- Aluminium Casing with Elastic Headband
- Push Button On/Off Switch
- Shockproof Housing
- IP Rating: 44
- Weight Excluding Batteries: 75g
- Requires 3 x AAA Batteries



**60  
LUMENS**



## LVH2

### Light2 Headlamp Series

- LED Headlamp
- 1 x 3 Watt XPE R2 Cree LED
- 200 Lumen Output, 120M Beam
- Aluminium Casing with Elastic Headband
- Push Button On/Off Switch
- Shockproof Housing
- IP Rating: 43
- Weight Excluding Batteries: 96g
- Requires 3 x AAA Batteries




**200  
LUMENS**

## LVA7B

### Light 2 Stainless Steel LED Flash Light

- Stainless Steel LED Flash Light
- 1 x Cree XPC Q3 LED
- 65 Lumen Output, 55M Beam
- Stainless Steel Casing
- Rear On/Off Switch
- Waterproof & Shockproof Housing
- IP Rating: 65
- Measurements: 13.5 x 139mm
- Weight Excluding Batteries: 93g
- Requires 2 x AAA Batteries



**65  
LUMENS**

## LVOEP

### Light 2 Explorer Pack

- Light-2 Explorer Pack
- The Light-2 Explorer Pack is ideal for Hiking, Camping, Hunting & Fishing
- The pack features 1 x LVS7 Hi Powered LED Torch & 1 x LVH2 Headlamp, Providing enough light for almost any night time activity
- The LVS7 puts out 230 Lumens & an 280M beam & The LVH2 has a 200 Lumen output & provides a 120M beam
- Both units run on AAA Batteries which are included in the kit



**TOTAL  
430  
LUMENS**

**LVBM****Bike Mount**

- Rubber Bicycle Mount
- Rubber Material
- Rotatable 360°
- Suitable for Flash Lights from 26-29mm
- Suitable for handle bars from 12-15mm
- Rubber Pad to protect your handle bar
- Easy installation

**LVSM****Scope Mount**

- Flexible Scope Mount for LED Flash Lights
- POM Material
- Suits barrel diameter 25-34mm
- Anti-skidding
- Easy installation

**LVE6****Tape Switch**

- Flash Light Remote Pressure Switch
- Aluminium end cap with plastic battery holder
- Gold plated contacts
- Easy installation
- Fits Light-2 models: LVRS8 & LVE2

**LVUSB****USB Plug**

- Mini Bullet USB Car Charger
- Compact & Durable
- Suitable for all kinds of power / cigarette lighter sockets
- Input: 12-24V
- Output: 5V/1000mA

